



Consent for Treatment for Skin Tightening with the PiXel8-Radio Frequency Micro-Needling System

I, _____, authorize and consent to the treatment for skin tightening with the **PiXel8 Radio Frequency Micro Needling System**.

I have been advised by, _____ of BloGo Salon + Medspa of the purported advantages and disadvantages associated with this treatment.

I understand that treatment with this system varies from patient to patient and that that more that 1-treatment may be required.

Although rare, adverse outcomes such as skin texture changes and scarring can occur.

No guarantees have been made to me regarding the outcome of the treatment or any improvements in my skin condition due to the procedure.

I understand that the possible benefits are the tightening of loose skin.

I certify that I do not have any metal implants in the area being treated.

I certify that I do not have any electronic implants (pacemaker, insulin pump, etc.)

I have been given the opportunity to ask questions and have received satisfactory answers to those questions.

I hereby authorize the taking of photographs. These photographs may be used to demonstrate the results this device produces. _____(Initials)

I hereby indemnify and hold harmless Rohrer Aesthetics, LLC and their employees, the treating technician, Medical Director and BloGo Salon + Medspa from any and all liability, damages, cost and expenses arising from or out of the use PiXel8 Radio Frequency Micro Needling System for treatment of skin tightening.

With all of the above information understood, I am choosing to be treated with the PiXel8- Radio Frequency Micro Needling System.

Signature _____

Print Name _____

Date _____

Witness _____

PiXeI8-RF

Pre-Treatment Instructions:

- Reveal any medical conditions such as pregnancy, cold sore and fever blister tendencies, any type of allergy, recent facial peels or surgery, and all current medications (including both prescriptions and over-the-counter products) such as Accutane, tetracycline, hormone replacement therapy, or use of Retin-A.
- The patient must quit taking Accutane for 6 months prior to having a PiXeI8-RF micro-needling treatment
- DO NOT perform a PiXeI8-RF Micro-needling treatment on a patient if he/she has an electronic implant (Insulin pump, pacemaker, LVAD, etc)
- Do not use self-tanning lotions or tanning booths two weeks prior to your PiXeI8-RF treatment. Do not sunbathe two weeks prior to your appointment.
- Do not use any irritating skin care products such as Retin-A or OBAGI for one week prior to treatment.
- Avoid taking NSAIDs such as Advil, Motrin, Aleve, aspirin for 1 week prior to scheduled procedure.
- Areas of dental crowns, caps, braces, or other metal dental implants may be more sensitive to the treatment and the clinician may use gauze or a tongue depressor to isolate the area to make the treatment more comfortable.

PiXeI8-RF

Post Treatment Instructions

- A certain degree of discomfort, redness, and/or irritation during and after treatment is expected. If any discomfort or irritation persists more than 24-hours, please notify the treatment facility.
- Tiny scabs (of less than 1 mm in diameter) may form 24-72 hours post treatment and may remain for several days. The scabs should not be touched or scratched (even if they itch) and should be allowed to shed naturally.
- During the first two (2) days following treatment, care should be taken to prevent trauma to the treated site: avoid hot baths, massage, irritating skin care products or exfoliants, etc. The skin should be kept clean to avoid contamination or infection; any mechanical or thermal damage to the area must be avoided.
- For burning sensation, spritz the treatment area with a diluted vinegar solution (1 tsp white vinegar per 8 ounces water)
- It is important to keep your skin moisturized after the treatment.
- You may have mild swelling for 1-3 days after your treatment. Patients may apply an icepack (NOT direct ice) to the irritated area for 1-2 days in approximately 15-minute sessions 3-4 times per day.
- Redness for 1-3 days is common. After 12-hours post procedure, the patient may apply a hydrocortisone cream 3-4 times per day to reduce redness.
- Makeup can be applied 12 hours after treatment.
- Avoid prolonged sun exposure or use of tanning bed for at least two weeks after the treatment, as the skin that was treated will be more sensitive to the sun after your Sublative treatment.
- Use a minimum of SPF 30 daily to protect your skin after your treatment.